

Burr king 960 manual



BURR KING MFG. CO., INC
1220 Turner Lane
Watson, MA 01555
www.burking.com
(603) 878-8998 • (603) 871-2748
Fax: (603) 878-8997

MODEL 960-250

INSTRUCTION
MANUAL



Model 960-250 Shown



BURR KING MODEL 960-250
TWO WHEEL GRINDER

File Name: Burr king 960 manual.pdf

Size: 1480 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 13 May 2019, 14:53 PM

Rating: 4.6/5 from 738 votes.

Download Now!

Please check the box below to proceed.



I'm not a robot



reCAPTCHA
Privacy - Terms

Book Descriptions:

Burr king 960 manual



8" OR 10" CONTACT WHEEL

To receive warranty service on these items you must contact a brand label service center that supports the product in need of service. Burr King Manufacturing Company; Inc. Tariff number 847990 criterion A Provide adequate ventilation. The machine guarding is not suitable for these types of wheels. To do so will create an operator safety hazard. We hope this will not cause you an inconvenience. If you have any questions or need assistance please contact the factory 8006212748. For maximum efficiency and your safety we recommend you read and understand all operating instructions, manuals, labels, and other information provided with the equipment. See Figure 2.1. All bearings are sealed for life and require no additional lubrication. Please call your Burr King distributor first; if you can not reach satisfactory conclusion please call the Burr King factory. Warsaw, MO 65355 Fax 6604388991 Burr King Manufacturing Company, Inc. warrants the below product to be free of defects in material and workmanship. The period of No warranty is provided for No warranty is provided for three phase electric motors, controllers, etc. Burr King Manufacturing Company, Inc. During the warranty period Burr King Manufacturing Company, Inc. or its authorized suppliers or agents will replace or repair the below Unless otherwise authorized by Burr King. Burr King Manufacturing Company, Inc. To receive warranty service on these Burr King Manufacturing Company; Inc. For the first thirty days after purchase, and when Burr King Manufacturing Company, Inc. After thirty days the customer is responsible for all freight To assure prompt warranty service it is necessary that you complete and return the below warranty information to Burr King Manufacturing Company, Inc. please FAX or MAIL at your convenience. How did you learn about Burr King products Please indicate the general work types performed at your company, check all that apply. Please indicate the primary product focus of your company; check all that apply. <http://aimic.com/userfiles/dell-926-all-in-one-inkjet-printer-manual.xml>

- **burr king 960 manual, burr king 760 manual, burr king 960 manual pdf, burr king 960 manual download, burr king 960 manual free, burr king 960 manual 2017.**



BURR KING MFG. CO., INC
1220 Tamara Lane
Warsaw, MO 65355
www.burking.com
(660)438-8998 • 800-421-2748
Fax (660)438-8991

MODEL 960-250

INSTRUCTION
MANUAL



Model 90100 Shown



BURR KING MODEL 960-250
TWO WHEEL GRINDER

Please tell us what we can do to improve our products. Thank you for purchasing Burr King products!United States of America.Don Mac Carthy. President. See our catalog at www.burking.comOPERATOR, and OPERATING AREA SAFTEYSerious injury or deathPersons who operate, or are in the immediateDisconnect from power source whenAlways keep electrical cords clear of rotating parts and beltNote, however, that certainFailure to observe this warning may result in the workFailure to heed this warning may cause. Never use this equipment if you are not properly trained in its. If in doubt stop and ask for guidance.To do so will create an operator safety hazard.Variants have stock codes that begin with the base number; i.e. 802S55 is an 802 variant. Users are warned not to exceed the below listed revolutions per minute RPM on the subject wheels. Failure to heed thisSuch failures may cause serious personal. All Burr King products are warranted for various time. Burr King Manufacturing Companies standard warranty policyOur warranty does not apply to wheels that areUsers who mount Burr KingNever use the subject contact wheels without proper guarding that meets commonly accepted safe practice. See OSHA. Stock code. Contact Wheel. Maximum Safe RPMThe level and spectral content of noiseNoise levels produced byOSHA regulation 29, piece 1910.95 titled "Occupational Noise Exposure".If you have any questions or need assistance please contact theUse caution when lifting grinder. Use twoInstalling the tracking assembly. Fig. 1.3Place machine on a secure workbench or the floor.See Figure 1.3Installing contact wheelSee figure 1.4Fig. 1.4Over view The model 960272 belt grinder is a twowheel belt grinder that uses a 2 x 72inch 50.8mm x
1. <https://closeriesaintjacques.com/files/dell-924-service-manual.xml>



82m continuous loop Various model 960272 versions are available including models with fixed and variable abrasive belt speed, and various horse Several accessories are also Your Burr King distributor will assist you in selecting value adding options Receipt and initial machine setup Compare the packing slip with your purchase order, and of course If shipping damage is discovered notify the freight carrier of your intention to file They will assist you. For example, do not remove the grounding pin on the AC electrical See the parts list and schematic for the below indicated Insure that all If a pedestal is used bolt the pedestal securely to the floor. Consult with a Functional machine operating instructions. Perform the following steps before each use of your model 960272 belt grinder See Figure 2.1. Warning Failure to properly adjust the nip point See Figure 2.2 To reduce or release the Move the tensioning handle down slightly to reduce belt tension or See Figure 2.4 Fig. 2.1. Fig. 2.2. Fig. 2.3 Wear proper clothing and Fig. 2.4. Fig. Fig. 3.1 Correct. Tracked Right. Tracking Assembly. The belt must rotate smoothly in a counterclockwise CCW direction If either of these conditions are not met immediately turn the machine OFF. Turning this control Disconnect the machine from its AC electrical power and have a competent electrician If the abrasive belt tensions, and tracks properly, but the machine has excessive vibration, turn the machine OFF and call the Burr. King factory for assistance. This brake has been preset from the factory and should stop your Your Burr King Grinder uses a controller from KB Electronics. The complete manual for the controller is For an additional copy of the manual please visit www.kbelectronics.com. Figure 3.5 shows your The variable speed control is based on a percentage of spindle speed. The spindle is set at the factory to Your controller may have the following options depending on your models Counterclockwise or Clockwise direction.

Normal operation of the If you wish to run When reversing direction, make sure the belt Then engage in the reverse direction. To turn the To reset pull the switch. NOTE Controller box and motor still will contain voltage even Fig 3.5. Model 960272 6200 SFPM. Percent Percent Maintenance of the model 960272. Every thirty days apply light machine oil to the rear wheel support to rear wheel handle interface. Two drops of oil is sufficient. Every thirty days check the drive belt tension. If you can hear the belt "slap" the frame when the drive motor starts, the belt may Do this by loosening the two nuts that secure the motor to the belt guard and slide the guard forward. Do Doing so will shorten the life of the machine bearings. Tighten the two nuts. Routinely inspect the machine for loose hardware. Tighten as required. Daily vacuum or otherwise remove dust and debris buildup from the machine and the machine belt track. There are no other maintenance actions required. All bearings are sealed for life and require no additional lubrication. Please call your Burr King. These machines are frequently selected as tool post grinders, roll grinders, and for fixturing into centerless grinding applications. Our warehouse and office is located just minutes north of Columbus, Ohio. With over

25 years of experience in the industrial machine tool industry, we have the knowledge and expertise to provide our customers with the best customer service support and technical expertise on all new and used machine tools to meet their needs. We take pride in being a trustworthy partner that our customers rely on through the years. Our experienced sales team would love to help you with your next machine tool purchase. Give us a call today or fill out the Request A Quote form on the right side of this page. The period of warranty is 1 year 90 days for vibratory bowls of 20 quart and lesser volume from the date of purchase. Page 4 BURR KING MFG. CO., INC. 1220 TAMARA LANE WARSAW MO 65355 WWW.BURRKING.



<https://www.interactivelearnings.com/forum/selenium-using-c/topic/13298/3-speed-saginaw-manual>

COM 660 4388998 800 6212748 FAX 660 4388991 960272 Important Safety Instructions OPERATOR, and OPERATING AREA SAFETY WARNING. We hope this will not cause you an inconvenience. If you have any questions or need assistance please contact the factory 8006212748. Use caution when lifting grinder. Use two people when removing from shipping box. Page 9 BURR KING MFG. CO., INC. 1220 TAMARA LANE WARSAW MO 65355 WWW.BURRKING.COM 660 4388998 800 6212748 FAX 660 4388991 Operating instructions for the Model 960272 belt grinder Over view The model 960272 belt grinder is a two-wheel belt grinder that uses a 2 x 72inch 50.8mm x 1.82m continuous loop abrasive belt. For maximum efficiency and your safety we recommend you read and understand all operating instructions, manuals, labels, and other information provided with the equipment. Page 10 Functional machine operating instructions Perform the following steps before each use of your model 960272 belt grinder 1. Insure that the gap nip point between the face of the abrasive belt and the work rest is adjusted so that your work piece will not pass through this gap. The belt must rotate smoothly in a counterclockwise CCW direction about the machine wheel belt path. Page 16 BURR KING ITEM NO. Page 17 OPTIONAL ATTACHMENTS 1276 20 19 16 944 BURR KING PARTS LIST 1220 TAMARA LANE WARSAW, MO. Page 19 965 BURR KING PARTS LIST 1220 TAMARA LANE WARSAW, MO. It may not display this or other websites correctly. You should upgrade or use an alternative browser. Does anybody have any insights for me I found the manual but can't get home to try it out for a few hours. I'll report back if all goes well. If you take out both bolts at once, the only thing holding the swing arm on is the drive belt. If this doesn't work you might have to make a spacer ring to bolt to the motor and drill and tap holes where you need them. This will only work if the motor shaft is long enough. Hope this. Jim A.

<https://ggccnet.com/images/boss-gate-openers-manual.pdf>



If you take out both bokts at once, the only thing holding the swing arm on is the drive belt. This will only work if the motor shaft is long enough. Hope this. Jim A. Click to expand. I looked at it for about 30 mins before I made this post and I dont know how I missed that. Got that all sorted. I have one more question and instead of starting another thread I will just ask it here. I have the VFD hooked up for 1X speed and my motor runs at 3450 RPM. I have seen some people have the jumper set to 2X but I assumed it is because they are running 1700 RPM motors. At 1X it doesnt seem like it is spinning fast enough at the high end. Perhaps it is, but this is my first five grinder and just wanted an opinion. Thanks.If they set the output frequency, I would not go to 2x. Most motors will tolerate 10 to 15% overspeed without throwing problems. I would check with the motor manufacturer as to the frequency limitations of the motor. Jim A.After fulling inspecting it I have found that I am going to have to replace the pulley belt as it is in very rough shape. Oh well haha. These products provide consistent and longlasting service to ensure a smooth and even finish on any product. Brennan Machinery has a larger inventory of models available. Only a small selection is listed below. Contact us for a product catalogue if interested. Scantool Belt Grinders 75X The 75X is built for heavy material removable without vibration. The contact wheel provides a safe and consistent grinding area and a working height adjustment to accommodate the operator and material. The machine features a direct drive and a steel reversible platen. It comes standard with a manual switch and air gauge valve and regulator. For shops that may be short on space, a cast iron JET Bench Grinder delivers work power and pristine finishes. Built to withstand the highvolume demands of even the busiest shops JET JBG8B Shop Bench Grinder 577102 JET JBG8B Shop Bench Grinder 577102 for sale at sierra victor industries.

<http://arcolands.com/images/boss-garage-door-operators-manual.pdf>



Built to withstand the highvolume demands of even the busiest shops, JET JBG6B Shop Bench Grinder 577101 JET JBG6B Shop Bench Grinder 577101 for sale at sierra victor industries. Built to withstand the highvolume demands of even the busiest shops, Jet Tools Belt Grinder Iron Work Variables Infinite Productivity Cast Iron Safety Surface JET IBDG248VS Variable Speed Industrial Belt and Disc Grinder 577842 JET IBDG248VS Variable Speed Industrial Belt and Disc Grinder 577842 for sale at sierra victor industries. A range of of belt sizes and speed configurations as well as multiple belt and work table positions allows for an almost infinite number of applica Jet Tools Belt Grinder Iron Work Infinite Productivity Cast Iron Safety Surface Range JET IBDG436 Industrial Belt and Disc Grinder 578634 JET IBDG436 Industrial Belt and Disc Grinder 578634 for sale at sierra victor industries. A range of of belt sizes and speed configurations as well as multiple belt and work table positions allows for an almost infinite number of application and work opt Jet Tools Belt Grinder Iron Work Variables Infinite Productivity Cast Iron Safety Surface JET IBDG436VS Variable Speed Industrial Belt and Disc Grinder 577634 JET IBDG436VS Variable Speed Industrial Belt and Disc Grinder 577634 for sale at sierra victor industries. A range of of belt sizes and speed configurations as well as multiple belt and work table positions allows for an almost infinite number of applica Surface Roughness Full Capacity Grinding Taiwan Productivity It Cast Technology Easy Life ACRA Automatic 3Axis Regent Series High Precision Surface Grinder 1020AHD ACRA Automatic 3Axis Regent Series High Precision Surface Grinder 1020AHD for sale at sierra victor industries. Heavy, extra rigid castings are used for the main parts to assure accuracy at full capacity of grinder.

All slide ways and electrical cabinet Surface Roughness Full Capacity Grinding Taiwan Productivity It Cast Technology Easy Life ACRA Automatic 3Axis Regent Series High Precision Surface Grinder 1020AHD ACRA Automatic 3Axis Regent Series High Precision Surface Grinder 1020AHD for sale at sierra victor industries. The RadiusMaster is a patented belt grinding machine that outperforms all other general purpose belt grinders. For more information or to order, CALL 3863043720 or VISIT www.si. Belt Grinder Industrial Lighting Metal Working Surface Electric Note Tools Instruments Metalworking U.S. INDUSTRIAL 2Axis Automatic Toolroom Surface Grinder USG618SSD U.S. INDUSTRIAL lightduty 2Axis Automatic Toolroom Surface Grinder USG618SSD for sale Sierra Victor Industries. Belt Grinder Metal Shop Machine Tools Kitchen Utensils Wood And Metal Metal Working Surface Bench Industrial U.S. INDUSTRIAL Toolroom Surface Grinder USG618AS U.S. INDUSTRIAL Toolroom Surface Grinder USG618AS for sale at Sierra Victor Industries. Belt Grinder King 3 3rd Wheel View Video Drill Workshop Usa Watch Model Sierra Victor Machinery BURR KING 3Wheel Belt Grinder MODEL 562 Available at Sierra Victor Industries BURR KING Belt Grinder MODEL 562. For more information or to order, CALL 3863043720, VISIT [Pinterest](https://www.pinterest.com) Explore Log in Sign up Privacy. You must have JavaScript enabled in your browser to utilize the functionality of this website. All machines come banded and strapped to a pallet unless instructed otherwise. Crating is optional and comes at extra charge. Loading docks or ramps are required. If you do not have one, inform the shipping company and there will more than likely be an extra charge. If you do not have one, inform the shipping company and there will more than likely be an extra charge. Residential

Area with limited access will more than likely be an extra charge. Any questions or concerns please contact our staff 626 4440311.

www.belladermeestetica.com.br/wp-content/plugins/formcraft/file-upload/server/content/files/1626c6dc1376c7--compaq-6720s-manual-download.pdf

Important Note Make sure to inspect all equipment deliveries for damages or problems. If any are present, mark them on bill of lading and inform driver. We ship daily and can get amazing shipping rates to make your purchase easier. Our technology, relationships, and team of industry professionals provide an unparalleled ability to meet your most important shipping needs. Services Offerings. Something went wrong. View cart for details. All Rights Reserved. User Agreement, Privacy, Cookies and AdChoice Norton Secured powered by Verisign. With 14 cells for both hot and cold chamber die casting, including coldchamber aluminum die casting with capacities from 400 to 800ton and hotchamber zinc die casting with capacities from 275 to 600ton. The company also provided machining and finishing services. Hilco does not provide rigging or shipping services and is not responsible for any rigging or shipping issues. Removal days for items requiring a rigger die cast machines, trim presses and furnaces 22 April 10 May, 2019, Monday through Friday, from 800 AM to 400 PM CDT. Removal days for hand carry and smaller items 22 26 April, 2019, Monday through Friday, from 800 AM to 400 PM CDT. Standard Removal Terms apply. Anyone performing removal will need to provide proper insurance. View sales tax rules All bidders residing outside of the United States or Canada are required to submit via wire transfer a qualifying deposit of 25% of their total expected purchases. Deposit instructions will be emailed upon registration. Deposit must be received and confirmed prior to start of auction, and can take up to 72 hours to clear. Please register at least 3 business days prior to sale to allow sufficient time to process deposit. Buyers who wish to bid onsite will need complete registration at the auction on the day of the sale or during preview. Please view our updated privacy policy. To calculate the overall star rating and percentage breakdown by star, we don't use a simple average.

dfcctv.com/upload/files/20220504_190655.pdf

Instead, our system considers things like how recent a review is and if the reviewer bought the item on Amazon. It also analyzes reviews to verify trustworthiness. See All Buying Options Add to Wish List Disabling it will result in some disabled or missing features. You can still see all customer reviews for the product. If you want espresso, you need a nonblade grinder of some sort, for certain. 1 This device is. SLOOOOOW. at grinding espresso for two people. It is quite fast if you want a French press takes us about a minute, but if you want grinds small enough for several shots of espresso, be prepared to elbow grease it for 510 minutes. While this is typically a nonissue you simply grind while talking, or watching the news, etc., we have days where 510 minute grind sessions are just not possible and others were it just seems like my time should be better spent elsewhere like walking the dog, or helping my kids. If you are a rush out the door type of morning person or have large family commitments, heads up! 1A My friend has an electric grinder; he makes us espresso every time we go over. It takes about 5 minutes for four of us to have cups in hands. My family visited, and it was a solid 20 minutes before four of us had an espresso in hand. This is absolutely, without question, a personal use device only, at least for fine grounds. 2 Customer service for this company is BEYOND PHENOMENAL. Our first grinder just seemed off, but being espresso newbs we werent quite sure. It was quick, it was polite, it was easy. Great, great, great service. 3 So the new grinder arrives, and as noted it grinds beautifully. The problem the bottom half of the grinder the storage container slips off quite easily, as in, if you dont hang onto it while grinding it falls off. The fix was simple just switch the bottom with our defective grinder.

Regardless, my experience at this point, coupled with the thousands of reviews saying just how great their costumer service is, leads me to believe that the company does not have a great quality control

unit and instead relies on great customer service. THAT IS FINE. If you're going to treat people like kings and queens when we contact you with defects, by all means, use that as your business model. This remains a buyer beware situation, but quite possibly the nicest one you will ever find yourself in. So why 4 stars? Because after 4 months, I think the drawbacks are noticeable enough to call this a very good, but not great product. People need to be aware that you will spend a good chunk of time and energy grinding, and probably spend time and energy making sure your product is actually up to standard. Bottom line I would definitely recommend this, warts and all, based on the price and quality grinds. Just don't kid yourself about the warts. I take it off to inspect it for any debris that could cause it, and the ceramic burr itself is pitted and deformed. All in all garbage quality product. Don't waste your time ordering this to just have to return it. Please try again later. Steve 5.0 out of 5 stars A lot of options out there now not that many 20 years ago. I always grind my own and use my espresso maker for a 4 shot cup. I use Espresso, Italian, French roasts, and change pace with Guatemalan and Sumatra. I saw this one after reading a lot more in-depth articles on grinders. The best you can really get are the conical ceramic burr grinders, not the old blades I have been using. The burr process actually grinds the coffee beans in a consistent size and not heat up the beans like metal blades. So, I thought what the heck, and this one looked like fun and possibly the even size will be easier on my machine. WOW! First cup, I was amazed. Not sure it was just some sort of anticipation or not, so had a second cup, then switched to Sumatra for another cup.

Yep, results were all the same. Karen coffee hater wasn't sure to believe me, but I make an Americano for my grandson Saturday mornings, he even claimed the coffee was a lot smoother. If you start looking for a new grinder, I strongly suggest and know you won't be disappointed using the Ceramic Conical Grinders. Please try again later. Please try again later. Amazon Customer 5.0 out of 5 stars Double filtered because I want paper filters, but have to use a basket regardless. This slows the drip rate, so I must grind more coarse. My grinder is set to a 1415 click setting and it takes me 1.5 minutes to ground 20g of coffee. Double the amount, double the time basically. The hopper seems to only fit 40g of my coffee, but I drink 50g everyday. Not really an issue. It takes about as long to grind as it takes my kettle to heat up, so I don't see much of a difference in brew time. Just effort. Overall, a decent grinder. Kind of slow, but what do you expect from a hand grinder. I'm sure with finer grinds it will be longer, so be aware. Please try again later. Please try again later. Ariel 4.0 out of 5 stars I have a 5 cup coffee maker, so filling the device halfway is perfect for my one cup of coffee in the morning I brew about 2.5 cups of coffee for my daily mug. If I have a guest over, I'll fill it fully with beans which makes enough grind for 5 cups of coffee, the max of my coffee brewer. It does take a few minutes of grinding, which is tedious and tiring, even to my 26-year-old self, but hey, burn those calories before you consume them, right. It's a big stressful taking apart to clean, and I'm wary of putting it back together. There are video instructions online though. However, I actually do not appreciate the inundation of video tutorials and emails. I would rather my pamphlet come with the product and contain any and all info I need. If I forget how to use it, it's rather awkward watching on a phone or carrying my coffee grinder to my computer to educate myself about it.

The information can go into a book just fine. Please try again later. Please try again later. RLDJ 5.0 out of 5 stars Skinny profile is easier to tip over than some of the shorter larger diameter versions. Squeaks sometimes when cranked. Updated, I have been using this grinder with my Aeropress almost every day since my purchase in December of 2018, so one and a half years. I've had no problems and the grind is consistent. I bought this model as I travel for months at a time with carry-on only. The pictures show my kit without handle, oops. I use an insulated GSI mug from REI. I marked the inside of the grinder to measure the beans. I only bring the upper grinder part without the lower part and grind directly into the Aeropress plunger or available container, a little awkward but not bad. Total kit is 16.6 oz. or a hair over a pound. When at home I use the complete grinder. For reference, I like a large cup of good black coffee. I use a medium grind 9 clicks CCW open from

closed position, a stainless steel MESH from Corretto, 200 F water, 10 second stir and 1min 40sec sit time in the Aeropress. I use 2 tbsp or 12grams dark roast. The GSI holds almost 500 ml 2 cups. I use the Aeropress upside down as the mesh does leak water sometimes. I did experiment with time and grind size quite a bit before I settled on what I like. You may prefer different. The finer the grind the longer the cranking. Mine takes about 90 seconds for medium. My wife's Haro grinder is easier to hold, smoother to crank and grinds about the same consistency but is much larger and heavier for the way we pack. Please try again later. Please try again later. Mad Max 4.0 out of 5 stars While its not comparable to the Kinu, for this price point I find that its a very good purchase and fairly well built. Very easy to take apart and clean. The burr adjustment knob is a bit of a hit and miss, as you have to try a few different settings until you get the right grind for your brew.

I deducted a star because for coarse grinds, the burr does wobble slightly and it produces an inconsistent powder. For Turkish coffee which is why I bought this, I find the burr too small, so it takes a very long time. Much better to go with a manual grinder which has a 47mm burr. Overall you cant go wrong with this grinder, I think its built to last except that some parts being plastic, may wear down faster. Please try again later. Please try again later. Annie 5.0 out of 5 stars Im using it with the That said, this is incredibly quiet, very easy to use, and it doesnt take long at all to grind when you are making just one cup. Its perfect for that function. See my review for the Gator on how to make an incredibly hot cup of coffee when you use chilled cream. If anyone has ideas on how to keep this clean, please leave a comment. As it turns out, the oil in the bean helps keep the gear oiled so Im the end, I wouldnt clean it anyway. Never had a jam. Never had a problem. Have zero complaints. Please try again later. Please try again later. Eric E. 2.0 out of 5 stars Oh the waters done, still grinding, and grinding, and grinding, and grinding. I have an old wood one from my aunt that is essentially the same concept but with a cast iron burr, and it takes a fraction of the time, same handle length etc. Wish I spent the extra money and got a motorized one, now that Im turning into a coffee nerd. Please try again later. Please try again later. CJN 3.0 out of 5 stars The first grinder I purchased was defective and Jacque immediately sent out another one. The second one works okay but its still not very clear which setting the grinder is on. The grinder settings are based on the number of clicks but the clicks are inconsistent or too subtle to hear. So I was essentially flying blind when it came to the grind setting. The second issue is how long it takes to grind one scoop of beans. Id say it took me about 34 minutes to fully grind all the beans.

I love the concept of not burning the beans with an electric motor but hand grinding them is a big effort. Too much effort at 630 am. Probably too much at noon. Having said that, I would recommend this grinder for travel, for camping, etc., but not as your main grinder. Unless you have wildly muscular wrists or youre thinking about living off the grid. Please try again later. Please try again later. Kaylan Clark 5.0 out of 5 stars I was originally shopping for an electric burr grinder, but after seeing a polar price range and the very mixed reviews, I decided to give a manual burr grinder a try. Ive had mine for about a month and its been used a few times now. It keeps an even grind and makes for wonderful coffee in my french press. It does have some pieces when its disassembled to clean that you have to keep an eye on because they are small a couple washers and the spring inside, but I have to disassemble my french press anyways, so I dont mind. I ran into a small issue after reassembling the first time. I discovered that the black, star shaped piece that twists to set the grind size has grooves on one side, but not the other. Also, if facing the wrong way, the black piece and grinder will adjust as you turn the handle, making an uneven grind size. Customer service is super nice, quick to respond, and helpful. After figuring that out, Im quite happy with the purchase! Please try again later. Please try again later. Paul 4.0 out of 5 stars I have been testing several different grind levels for my french press and have found that this grinder produces a high quality coarse grind. I wish it had an indicator on the side that told you which level of coarseness you were set on but it is easy to reset and count the clicks. Id recommend it if you dont want to spend the money on an electric grinder. Please try again later. Please try again later.

<http://superbia.lgbt/flotaganis/1647618240>